



# VIZA.EX15100 - Fittings, Grooved and Plain End

## Fittings, Grooved and Plain End

See General Information for Fittings, Grooved and Plain End

**WEIFANG 100TONG CASTING CO LTD**

EX15100

1919 Airport South Rd  
Weicheng District  
Weifang, Shandong 261000 CHINA

The following fittings are intended for use with WEIFANG 100TONG CASTING CO LTD Listed rubber gasketed fittings.

**Grooved**

| Model   | Type            | Size (mm)   | Rated Pressure (psig) |
|---------|-----------------|---|-----------------------|
| XGQT06  | 90 Degree Elbow | 1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4                   | 400                   |
| XGQT06  | 90 Degree Elbow | 5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 216.3 mm, 8, 10, 12 | 300                   |
| XGQT06L | 90 Degree Elbow | 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4                      | 400                   |
| XGQT06L | 90 Degree Elbow | 6-1/2 OD, 6, 8, 10, 12  | 300                   |
| 06D     | 90 Degree Elbow | 2, 2-1/2, 3 OD, 3, 4  | 400                   |
| 06D     | 90 Degree Elbow | 5-1/2 OD, 6-1/2 OD, 6, 8  | 300                   |
| XGQT07  | 45 Degree Elbow | 1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4                   | 400                   |
| XGQT07  | 45 Degree Elbow | 5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 216.3 mm, 8, 10, 12 | 300                   |
| XGQT09  | 22.5 Elbow      | 1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4                   | 400                   |
| XGQT09  | 22.5 Elbow      | 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12                     | 300                   |
| XGQT10  | 11.25 Elbow     | 1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4                   | 400                   |
| XGQT10  | 11.25 Elbow     | 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12                     | 300                   |
| XGQT12  | Tee             | 1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4                   | 400                   |
| XGQT12  | Tee             | 5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 216.3 mm, 8, 10, 12 | 300                   |

[Cookies on UL](#)  
 We use cookies to personalize  
 content and ads, to provide  
 social media features and to  
 analyze our traffic. We also share  
 information about your use of our  
 site with our social media,  
 advertising and analytics  
 partners. [Learn More](#)

[Cookie Settings](#)

✓ Accept

|         |                                   |  |     |
|---------|-----------------------------------|--|-----|
| XGQT12L | Tee                               | 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4   | 400 |
| XGQT12L | Tee                               | 5-1/2 OD, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12   | 300 |
| XGQT13  | Reducing Tee                      | 3 ODx2, 3x3 OD, 5x2, 5x3 OD, 5x3, 8x3 OD, 8x3, 8x5   | 232 |
| XGQT13  | Reducing Tee                      | 2x1, 2x1-1/4, 2x1-1/2, 2-1/2x1, 2-1/2x1-1/4, 2-1/2x1-1/2, 2-1/2x2, 3 ODx1, 3 ODx1-1/4, 3 ODx1-1/2, 3x1, 3x1-1/4, 3x1-1/2, 3x2, 3x2-1/2, 4x1, 4x1-1/4, 4x1-1/2, 4x2, 4x2-1/2, 4x3 OD, 4x3   | 400 |
| XGQT13  | Reducing Tee                      | 5-1/2 ODx1, 5-1/2 ODx1-1/4, 5-1/2 ODx1-1/2, 5-1/2 ODx2, 5-1/2 ODx3 OD, 5-1/2 ODx3, 6-1/2 ODx1, 6-1/2 ODx1-1/4, 6-1/2 ODx1-1/2, 6-1/2 ODx2, 6-1/2 ODx3 OD, 6-1/2 ODx3, 6-1/2 ODx4, 6x1, 6x1-1/4, 6x1-1/2, 6x2, 6x3 OD, 6x3, 6x4, 8x4, 8x6-1/2 OD, 8x6, 10x6, 10x8, 12x4, 12x6, 12x8, 12x10  | 300 |
| XGQT13S | Reducing Tee Threaded             | 1-1/4x1, 1-1/2x1, 1-1/2x1-1/4, 3 ODx2, 3x3 OD, 4x3 OD, 5x1, 5x1-1/4, 5x1-1/2, 5x2, 5x3 OD  | 232 |
| XGQT13S | Reducing Tee Threaded             | 2x1, 2x1-1/4, 2x1-1/2, 3 ODx1, 3 ODx1-1/4, 3 ODx1-1/2, 3x1, 3x1-1/4, 3x1-1/2, 3x2, 4x1, 4x1-1/4, 4x1-1/2, 4x2, 4x3 OD, 4x3, 5-1/2 ODx1, 5-1/2 ODx1-1/4, 5-1/2 ODx1-1/2, 5-1/2 ODx2, 5-1/2 ODx3 OD, 5-1/2 ODx3, 6-1/2 ODx1, 6-1/2 ODx1-1/4, 6-1/2 ODx1-1/2, 6-1/2 ODx2, 6-1/2 ODx3 OD, 6-1/2 ODx3, 6-1/2 ODx4, 6x1, 6x1-1/4, 6x1-1/2, 6x2, 6x3 OD, 6x3, 6x4 | 300 |
| XGQT13S | Reducing Tee, Threaded            | 2-1/2x1, 2-1/2x1-1/4, 2-1/2x1-1/2, 2-1/2x2   | 400 |
| XGQT13F | Pitcher Tee                       | 4x4x3 OD   | 300 |
| XGQT13F | Pitcher Tee                       | 4x4x3 OD   | 300 |
| XGQT14  | Cross                             | 1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4  | 400 |
| XGQT14  | Cross                             | 5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12  | 300 |
| XGQT20  | Cap                               | 1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4  | 400 |
| XGQT20  | Cap                               | 5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12  | 300 |
| XGQT20S | Cap                               | 4x1, 6-1/2 ODx1, 6x1, 8x1, 10x1  | 300 |
| XGQT16  | Concentric Reducer Grooved Outlet | 1-1/2x1-1/4, 3x3 OD, 5x2, 5x3 OD, 5x4, 6-1/2 ODx5, 8x5, 8x6-1/2 OD   | 232 |
| XGQT16  | Concentric Reducer Grooved Outlet | 1-1/4x1, 1-1/2x1, 2x1, 2x1-1/4, 2x1-1/2, 2-1/2x1-1/4, 2-1/2x1-1/2, 2-1/2x2, 3 ODx1, 3 ODx1-1/4, 3 ODx1-1/2, 3 ODx2, 3x1-1/4, 3x1-1/2, 3x2, 3x2-1/2, 3x3 OD, 4x1-1/4, 4x1-1/2, 4x2, 4 x 2-1/2, 4x3 OD, 4x3  | 400 |
| XGQT16  | Concentric Reducer Grooved Outlet | 5-1/2 ODx1-1/4, 5-1/2 ODx1-1/2, 5-1/2 ODx2, 5-1/2 ODx3 OD, 5-1/2 ODx3, 6-1/2 ODx1, 6-1/2 ODx1-1/4, 6-1/2 ODx1-1/2, 6-1/2 ODx2, 6-1/2 ODx3 OD, 6-1/2 ODx3, 6-1/2 ODx4, 6x2, 6x3 OD, 6x3, 6x4, 6x5-1/2 OD, 8x2, 8x2-1/2, 8x3 OD, 8x3, 8x4, 8x5-1/2 OD, 8x6, 10x4, 10x6, 10x8   | 300 |

Cookies on UL  
 We use cookies to personalize  
 content and ads, to provide  
 social media features and to  
 analyze our site usage. We also  
 use cookies to help us improve  
 our site with our social media  
 advertising and analytics  
 partners.. [Learn More](#)

✓ Accept

|         |                                     |  |     |
|---------|-------------------------------------|--|-----|
| XGQT16S | Concentric Reducer Threaded Outlet  | 1-1/2x1, 3x3 OD, 5x1, 5x1-1/4, 5x2, 5x3 OD   | 232 |
| XGQT16S | Concentric Reducer Threaded Outlet  | 2x1, 2x1-1/4, 2x1-1/2, 3 ODx1, 3 ODx1-1/4, 3 ODx1-1/2, 3 ODx2, 3x1, 3x1-1/4, 3x1-1/2, 3x2, 4x1, 4x1-1/4, 4x1-1/2, 4x2, 4x3 OD, 4x3, 5-1/2 ODx1, 5-1/2 ODx1-1/4, 5-1/2 ODx1-1/2, 5-1/2 ODx2, 5-1/2 ODx3 OD, 5-1/2 ODx3, 6-1/2 ODx1, 6-1/2 ODx1-1/4, 6-1/2 ODx1-1/2, 6-1/2 ODx2, 6-1/2 ODx3 OD, 6-1/2 ODx3, 6-1/2 ODx4, 6x1, 6x1-1/4, 6x1-1/2, 6x2, 6x3 OD, 6x3, 6x4, 8x1, 8x1-1/4, 8x1-1/2, 8x2, 8x3 OD, 8x3, 8x4 | 300 |
| XGQT16S | Concentric Reducer, Threaded Outlet | 2-1/2x1, 2-1/2x1-1/4, 2-1/2x1-1/2, 2-1/2x2   | 400 |
| XGQT17  | Eccentric Reducer                   | 3x2, 3x2-1/2, 3x3 OD, 4x2, 4x2-1/2, 4x3 OD, 4x3  | 400 |
| XGQT17  | Eccentric Reducer                   | 5-1/2 ODx3 OD, 5-1/2 ODx3, 5-1/2 ODx4, 6-1/4 ODx2, 6-1/4 ODx3 OD, 6-1/4 ODx3, 6-1/4 ODx4-1/4 OD, 6-1/4 ODx4, 6-1/2 ODx3 OD, 6-1/2 ODx3, 6-1/2 ODx4, 6-1/2 ODx5-1/2 OD, 6x3, 6x4, 6x5-1/2 OD, 8x3, 8x4, 8x5-1/2 OD, 8x6-1/2 OD, 8x6, 10x6-1/2 OD, 10x6, 10x8  | 300 |
| XGQT18  | Flange Adaptor, Grooved             | 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4, 5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12  | 300 |
| XGQT18S | Flange Adaptor, Threaded            | 2, 3 OD, 3, 4  | 300 |
| 22      | Adapter Elbow                       | 1-1/4x1/2, 1-1/4x3/4, 1-1/4x1, 1-1/2x1/2, 1-1/2x3/4, 1-1/2x1, 2x1/2, 2x3/4, 2x1, 2-1/2x1/2, 2-1/2x3/4, 2-1/2x1   | 500 |
| 36      | Adapter Nipple                      | 1-1/2, 2   | 500 |
| 37      | Reducing Adapter Nipple             | 1-1/2x1, 2x1-1/2   | 500 |
| XGQT23  | Drain Cap                           | 2x1, 2x1-1/2, 2-1/2x1, 3 ODx1-1/2, 3 ODx 2, 3x1, 3x1-1/2, 3x2, 4x1, 4x1-1/2, 4x2, 5-1/2 ODx2, 6x1, 6x2, 8x2  | 300 |
| XGQT28  | Flange Adapter                      | 2, 2-1/2, 3, 4, 5, 6, 8, 10, 12  | 300 |

Trademark and/or Tradename:



We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media partners.

Last Updated on 2020-01-08

> Cookie Settings

✓ Accept

The appearance of a company's name or product in this database does not in itself assure that products so identified are manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory" must be included. [Learn More](#)

with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"

### Cookies on UL

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners.. [Learn More](#)

[> Cookie Settings](#)

[✓ Accept](#)